20,637.÷
30.=
687.9*

687.9×
10.%
68.79*

68.79+
756.69*

Angie

MR-1

RECEIVED
MAY 15 2008
INDUSTRIAL DEPARTMENT

PRETREATMENT MONITORING REPORT

NAME: TENAX FINISHING PRODUCTS, CO.

MAILING ADDRESS 390 ADAMS STREET, NEWARK, NJ 07114

FACILITY LOCATION: 390 ADAMS STREET, NEWARK, NJ 07114

CATEGORY & SUBPART: UNKNOWN OUTLET #: 1

CONTACT OFFICIAL: Jim O' Neill TELEPHONE #: 973.589.9000

NEW CUSTOMER ID/ OUTLET ID: 20630001-1 OLD OUTLET DESIGNATION: _____

MONITORING PERIOD					
4	1	2008	4	30	2008
MO.	DAY	YR	MO.	DAY	YR.
START			END		

For Reporting Period

	Average	Maximum
Regulated Flow-gal/day	688	
Total Flow-gal/day	688	757

Method used: Total flow divided by 30 days.

Production rate (if applicable):

PARAMETER		MASS LIMIT OR CONCENTRATION			# OF SAMPLES	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS		COMP/GRAB
Cadmium	Sample Measurement	< 0.0004		MG/L	1	COMP
	Permit Requirement	0.19		MG/L		
Copper	Sample Measurement	0.029		MG/L	1	COMP
	Permit Requirement	3.02		MG/L		
Lead	Sample Measurement	< 0.0027		MG/L	1	COMP
	Permit Requirement	0.54		MG/L		
Mercury	Sample Measurement	< 0.0001		MG/L	1	COMP
	Permit Requirement	0.080		MG/L		
Nickel	Sample Measurement	0.0085		MG/L	1	COMP
	Permit Requirement	5.9		MG/L		
Zinc	Sample Measurement	0.07		MG/L	1	COMP
	Permit Requirement	1.67		MG/L		
Petroleum Hydrocarbons	Sample Measurement		< 5.0	MG/L	1	GRAB
	Permit Requirement		100	MG/L		
VOC FOR 413.4	Sample Measurement		0.0045	MG/L	1	GRAB
	Permit Requirement		2.13	MG/L		
BOD	Sample Measurement		10.1	MG/L	1	COMP
	Permit Requirement			MG/L		

PVSC Form MR-1 Rev: 4 6/87 P1

JUN 2008
2nd Impact
Industrial Dept.

Certification of Non-use if applicable (use additional sheets): _____

RECEIVED
MAY 15 2008
INDUSTRIAL DEPARTMENT

Compliance or non compliance statement with compliance schedule (use additional sheets if necessary) for every parameter used: All parameters were in compliance with the applicable limits.

Explain Method for perserving samples: All samples were preserved with ice. In addition the VOC samples were preserved with HCl, the Metals sample was preserved with HNO_3, and the PHC sample was preserved with HCl.

I certify under penalty of law that this document and attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

403.6(a)(2)(ii) revised by 53 FR 40610, October 17, 1988

James A O'Neill

Signature of Principal
Executive or Authorized Agent

James A. O'Neill, President
Type Name and Title

5/6/08
Date

PVSC Form MR-1 Rev: 5 3/91 P2

Client ID: **LSP-4_040808**
Site: Tenax

Lab Sample No: **911343**
Lab Job No: S964

Date Sampled: 04/08/08
Date Received: 04/09/08
Date Analyzed: 04/15/08
GC Column: Rtx-VMS
Instrument ID: VOAMS6.i
Lab File ID: f35895.d

Matrix: WATER
Level: LOW
Purge Volume: 5.0 ml
Dilution Factor: 2.0

VOLATILE ORGANICS - GC/MS
METHOD 624

Parameter	Analytical Result Units: ug/l	Method Detection Limit Units: ug/l
Chloromethane	ND	0.9
Bromomethane	ND	0.9
Vinyl Chloride	ND	0.5
Chloroethane	ND	0.9
Methylene Chloride	ND	0.8
Trichlorofluoromethane	ND	0.7
1,1-Dichloroethene	ND	0.9
1,1-Dichloroethane	ND	0.5
trans-1,2-Dichloroethene	ND	0.8
cis-1,2-Dichloroethene	ND	0.6
Chloroform	ND	0.4
1,2-Dichloroethane	ND	0.5
1,1,1-Trichloroethane	ND	0.8
Carbon Tetrachloride	ND	0.7
Bromodichloromethane	ND	0.5
1,2-Dichloropropane	ND	1.0
cis-1,3-Dichloropropene	ND	0.3
Trichloroethene	ND	0.7
Dibromochloromethane	ND	0.5
1,1,2-Trichloroethane	ND	0.4
Benzene	ND	0.5
trans-1,3-Dichloropropene	ND	0.3
2-Chloroethyl Vinyl Ether	ND	0.5
Bromoform	ND	0.4
Tetrachloroethene	ND	0.8
1,1,2,2-Tetrachloroethane	ND	0.7
Toluene	4.5	0.6
Chlorobenzene	ND	0.5
Ethylbenzene	ND	0.8
Xylene (Total)	ND	0.8

Client ID: **LSP-4 040808**
Site: **Tenax**

Lab Sample No: 911343
Lab Job No: S964

Date Sampled: 04/08/08
Date Received: 04/09/08

Matrix: WATER
Level: LOW

METALS ANALYSIS

Analyte	Analytical Result Units: ug/l	Instrument Detection Limit	Qual	M
Cadmium	ND	0.40		P
Copper	29.0	3.7		P
Lead	ND	2.7		P
Mercury	ND	0.10		CV
Nickel	8.5	2.4	B	P
Zinc	70.0	5.8		P

Qual Column - Data Reporting Qualifiers (See Sec 2 of Report)
M Column - Method Code (See Section 2 of Report)

Date: 04/18/2008
Time: 05:04:28

TestAmerica Edison
TestAmerica Edison
Tenax

7/13 Page: 1
Rept: AN1178

Sample ID: LSP-4_040808
Lab Sample ID: A8374201
Date Collected: 03/08/2008
Time Collected: 12:00

Date Received: 04/10/2008
Project No: NYOA8579
Client No: L11254
Site No:

Parameter	Result	Flag	Detection Limit	Units	Method	Date/Time Analyzed	Analyst
Wet Chemistry Analysis							
SGT Total Petroleum Hydrocarbons	ND		5.0	MG/L	1664 SGT	04/11/2008 09:20	RK

General Information

Chain of Custody

Haley & Aldrich
299 Cherry Hill Rd.
Suite 105
Parsippany, NJ 07054-1124

Tel: 973.263.3900
Fax: 973.263.2580
HaleyAldrich.com

HALEY& ALDRICH

14 May 2008
File No. 76080-003

Angela Dees
Passaic Valley Sewerage Commissioners
Industrial Department
600 Wilson Avenue
Newark, New Jersey 07105

Subject: Discharge Monitoring Report for the Month of April 2008
Tenax Finishing Products Co.
390 Adams Street
Newark, New Jersey
New Customer ID/ Outlet ID: 20630001-1

Dear Ms. Dees:

On behalf of Tenax Finishing Products Co. (Tenax), we provide the enclosed Discharge Monitoring Report (DMR) for discharge of treated groundwater at the above-referenced facility. The discharge met all applicable permit limitations, as indicated in the enclosed DMRs.

We would like to bring to your attention a typing error on the MR2 form for the discharge during March 2008. The March 2008 DMR was submitted on time and noted that discharge met all applicable compliance limits. During a routine quality assurance check we observed an error on the reported effluent meter reading for the last day of that month. The reported value of 55,345 gallons is incorrect and should have been reported as 78,477 gallons. The volume discharged of 23,312 gallons was reported correctly. In addition, on the same MR2 form there was a minor typo in the Monitoring Period block. The correct dates were given but erroneous values appeared in the column headers for 'Month' and 'Day'. We trust that these updates fulfill your notification requirements. Please let us know if you need a revised MR2 to be submitted for the March 2008 monitoring period.

Please call if you have any questions regarding the above. We appreciate your continued assistance on the project.

Sincerely yours,
HALEY & ALDRICH, INC.

Sean Clifford
Staff Scientist

Sunila Gupta
Project Manager

Enclosure

c: Tenax Finishing Products Co.; Attn: James O'Neill

G:\Data\76\76080\PVSC\Monthly DMRs\Transmittal Letter- April 2008 with March 2008 MR2 Revisions.doc

Printed on 30% post-consumer recycled paper

EPA Request #: III.B.1.e.

S964

TestAmerica Edison
777 New Durham Road
Edison, New Jersey 08817
Phone: (732) 549-3900 Fax: (732) 549-3679

CHAIN OF CUSTODY / ANALYSIS REQUEST

Name (for report and invoice)	Samplers Name (Printed)	Site/Project Identification
SUNILA GUPTA	A. KAMMARI	Tenax - PVSC
Company: Haley & Aldrich	P.O. # 76080-006	State (Location of site): NJ: X NY: Other:
Address: 299 Cherry Hill Road	Analysis Turnaround Time: Standard X	Regulatory Program:
City: Parsippany State: NJ 07054	Rush Charges Authorized For: 2 Week ☐ 1 Week ☐ Other ☐	LAB USE ONLY Project No: 932965
Phone: (973) 263-3900 Fax:		Job No: S964

Sample Identification	Date	Time	Matrix	No. of Cont.	PPVOA +10	Cd, Cu, Pb, Hg, Ni, Zn	1664 SGT-HEM	BOD	Sample Numbers
LSP-1_040808	4/8/2008	11:30	AQ	3	x				91342
LSP-4_040808	4/8/2008	12:00	AQ	6	x	x	x	x	91343

Preservation Used: 1 = ICE, 2 = HCl, 3 = H_2SO_4, 4 = HNO_3, 5 = NaOH, 6 = Other BAK, 7 = Other NaOH&ZnAC

Soil:
Water: 1,2 | 1,4 | 1,2 | 1

Special Instructions

Water Metals Filtered (Yes/No)?

	Relinquished by	Company	Date / Time	Received by	Company
1)		H!A	4/9/08 0928	Lusila Smith	TestAmerica
2)	Lusila Smith	TestAmerica	4/9/08 1145		TestAmerica
3)					IR90 2C
4)					

Laboratory Certifications: New Jersey (12028), New York (11452), Pennsylvania (68-522), Connecticut (PH-0200), Rhode Island (132).
Massachusetts (M-NJ312), North Carolina (No. 578)

TestAmerica Edison

PVSC41 - 00003379

Industrial Department